

# RÖSLER AMERICAS



HIGH QUALITY EARTHMOVER PRE-CURE TREADS





## RÖSLER AMERICAS ABOUT US

The RÖSLER brand stands worldwide for quality, reliability and innovative capacity – simply because we live these values since more than 53 years.

At the Rösler Group's founding in 1960, Paul Rösler Sr. had a vision to produce and supply his customers with the highest quality products at the best value in the industry. This was the critical strategy that could provide Rösler with a decisive competitive advantage in the marketplace. His vision was to produce a retreaded tire that could compete with the best brand new tires in the world. Over the past 50 years the successful implementation of this strategy has gained the confidence of customers and turned the once small Dortmund, Germany-based company into a respected international player.

Our core competency is focused on how to drive down costs in our customers operations while enhancing their productivity. This takes a combined approach with total tire management at the core, with a specific expertise in helping manage the variables in the most harsh environments and demanding applications for earthmover tires. Depending on the customer requirement and application, we provide the right products and right recommendations to achieve the best value solutions for our customers. This includes tires, filling material, rim maintenance products and comprehensive tire management programs.

Our industry leadership is driven by our commitment to continuous improvement & on-going research & development investment. Levering our engineering strengths in compound technology, application specific designs all of which is combined with providing world class solutions. We're pioneering the latest technology in shearography inspections and advanced quality tests which is a first in Earthmover retreading. These results and our commitment has allowed us to invest over 5 million euro in the past two years at our global headquarters, research center and manufacturing operations in Dortmund, Germany to expand the qualitative aspects of our business. Combined, these are all factors that lead to achieving similar performance as premium-class new tires, but also help us customize our products & solutions to meet our customers application specific requirements: **MAXIMUM RELIABILITY AT A BEST VALUE.**


We carry a full range of products and solutions for replacement tires, services, tire safety, and tire management. We offer the right solutions in all sizes to meet our customer's requirements. From small operations that simply require high quality cost effective reliability, to the largest mines in the world where comprehensive tire management solutions are a key component in corporate responsibility. We can offer each customer a tailored solution for every situation. From quality tires to complete systems that offer on the spot tire replacement, we always focus on best value solutions.

Our best recommendations come from our customers and their confidence in our ability to keep our promises. That confidence in us is confirmed on a daily basis by our customers success. Our customer commitment through German engineering and our global expertise continues to focus on delivering better value, better solutions, and greater productivity to our valued customers.

**PAUL RÖSLER & MARTIN RÖSLER**  
Managing Partner



**WILHELM BRAU**  
General Manager Rösler USA







## RÖSLER AMERICAS DEVELOPMENT AND INNOVATION

### German Engineering - Global Expertise:

RÖSLER is a company known for its innovation and its German engineering. We research and develop in our own laboratories and test facilities and employ masterminds and problem solvers. While designing a new or enhancing an existing product, we benefit from the close relationship to our customers. With enduringness and passion our engineers design our products with focus on the details, the methodology, the quality and the safety of everything that we do, to bring you better solutions.



**ALL TERRAIN:** Standard compound particularly resistant to cuts, tread tearing and abrasion at average speeds.



**WINTER:** Special compound with excellent grip and wear characteristics in extreme cold conditions with snow and ice.



**CUT:** Special cut and tread abrasion resistant compound with excellent wear characteristics on very rough surfaces.



**HEAT:** Compound with a high resistance to internal heat generation for long cycles at high speeds on well-maintained roads.

### RUBBER COMPOUNDS

Our core competency is providing compounding matched to your specific application to optimize tyre performance.

Whether you are operating in extreme cold, extreme heat, high cut or very wet conditions, we have a solution matched to your need.



### LONG STRIPE TECHNOLOGY

To increase the quality of our retreads, Rösler is pressing all haul truck/high speed tread designs as long stripes.

With stripes of up to 3600mm (141 12/16 inches) length the quantity of joints is decreased to a maximum.

Each tread which is available as a long stripe, is marked with "LS".



### PATENTED BONDING TECHNOLOGY

To create a better bonding between the single treads, RÖSLER has developed a special tread overlapping technology where each tread overlaps the previous one. Due to this technology the risk of tread lifting at the joints is considerably minimized.



### THE INTELLIGENT TREAD

Correct tyre temperature and pressure are vital to ensure the best product performance. That's why we have developed and patented a unique sensor which is implemented inside the tread, to measure the temperature at the most critical point.

The intelligent tread comes with a in-build sensor and all other necessary equipment to offer your customer a revolutionary retreaded intelligent tyre (available from 2014).



**SR 55 D LS E4**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
16.00R25	480 18 14/16	2.253 88 11/16	50 63/32	67,6 150	1.082 2.385	16	8	LS-01-0001
18.00R25	480 18 14/16	2.426 95 8/16	50 63/32	72,8 161	1.165 2.568	16	8	LS-01-0002
18.00R33	480 18 14/16	1.906 75 1/16	50 63/32	57,2 127	858 1.892	15	5	LS-01-0003
21.00R33	530 20 14/16	3.077 121 2/16	58 73/32	117,3 259	1.408 3.104	12	6	LS-01-0004
21.00R35	530 20 14/16	3.077 121 2/16	58 73/32	117,3 259	1.408 3.104	12	6	LS-01-0005

**SR 60 N LS E3 / E4**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
33.25R29	680 26 12/16	2.235 88	50 63/32	112,5 249	1.350 2.977	12	4	LS-01-0008
800/65R29	800 31 8/16	2.731 107 9/16	50 63/32	152,9 338	1.529 3.371	10	5	LS-01-0007
875/65R29	800 31 8/16	2.980 117 5/16	50 63/32	166,8 368	1.334 2.942	8	4	LS-01-0006
45/65R39	1.000 39 6/16	2.631 103 9/16	67 84/32	216,9 479	1.301 2.870	6	2	LS-01-0009
45/65R45	1.000 39 6/16	2.631 103 9/16	67 84/32	216,9 479	1.301 2.870	6	2	LS-01-0010
27.00R49	680 26 12/16	2.731 107 9/16	50 63/32	137,5 304	1.238 2.729	9	3	LS-01-0011
30.00R51	800 31 8/16	2.980 117 5/16	50 63/32	166,8 368	1.501 3.310	9	3	LS-01-0012
33.00R51	800 31 8/16	2.980 117 5/16	50 63/32	166,8 368	1.501 3.310	9	3	LS-01-0013
37.00R57	940 37	3.508 138 2/16	67 84/32	249,6 551	1.498 3.302	6	2	LS-01-0014
40.00R57	1.000 39 6/16	3.508 138 2/16	67 84/32	289,2 638	868 1.913	3	1	LS-01-0015

**SR 60 D LS E4**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
35/65R33	850 33 7/16	2.976 117 3/16	88 111/32	270,0 596	1.080 2.381	4	2	LS-01-0016
24.00R35	600 23 10/16	3.165 124 10/16	68 86/32	136,5 301	1.365 3.010	10	5	LS-01-0017
45/65R39	1.000 39 6/16	2.700 106 5/16	88 111/32	192,6 425	1.156 2.548	6	2	LS-01-0018
45/65R45	1.000 39 6/16	2.700 106 5/16	88 111/32	192,6 425	1.156 2.548	6	2	LS-01-0019
27.00R49	680 26 12/16	2.673 105 4/16	76 96/32	138,6 306	1.247 2.751	9	3	LS-01-0020
31/90R49	680 26 12/16	2.673 105 4/16	76 96/32	138,6 306	1.247 2.751	9	3	LS-01-0021
30.00R51	800 31 8/16	2.976 117 3/16	82 103/32	202,8 448	1.217 2.683	6	2	LS-01-0022
33.00R51	800 31 8/16	2.976 117 3/16	82 103/32	202,8 448	1.217 2.683	6	2	LS-01-0023
36.00R51	850 33 7/16	2.480 97 10/16	88 111/32	225,0 497	900 1.985	4	1	LS-01-0024
37.00R57	940 37	3.508 138 2/16	97 122/32	339,6 749	1.019 2.247	3	1	LS-01-0025
40.00R57	1.000 39 6/16	2.700 106 5/16	88 111/32	192,6 425	1.541 3.397	8	2	LS-01-0026
46/90R57	1.000 39 6/16	2.700 106 5/16	88 111/32	192,6 425	1.541 3.397	8	2	LS-01-0027

**SR 62 D LS E4**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
33.00R51	800 31 8/16	2.976 117 3/16	82 3 7/32	195,0 430	1.170 2.580	6	2	LS-01-0048
37.00R57	1.000 39 6/16	3.600 141 12/16	72 91/32	249,6 551	1.498 3.302	6	2	LS-01-0039
40.00R57	1.000 39 6/16	3.600 141 12/16	72 91/32	249,6 551	1.498 3.302	6	2	LS-01-0040
46/90R57	1.000 39 6/16	3.600 141 12/16	72 91/32	249,6 551	1.498 3.302	6	2	LS-01-0041

**SR 63 N LS E3**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
27.00R49	680 26 12/16	2.640 103 15/16	50 63/32	95,7 211	1.435,5 3.165	15	5	LS-01-0028
31/90R49	680 26 12/16	2.640 103 15/16	50 63/32	95,7 211	1.435,5 3.165	15	5	LS-01-0029

**SR 63 D LS E4**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
18.00R25	490 19 5/16	2.450 96 7/16	59 74/32	68,6 152	960 2.118	14	7	LS-01-0030
18.00R33	490 19 5/16	2.800 110 4/16	59 74/32	78,4 173	1.098 2.420	14	7	LS-01-0031
21/90R33	490 19 5/16	2.800 110 4/16	59 74/32	78,4 173	1.098 2.420	14	7	LS-01-0032
24.00R35	600 23 10/16	3.161 124 7/16	69 87/32	127,5 282	1.275 2.811	10	5	LS-01-0033
27.00R49	680 26 12/16	2.783 109 9/16	79 100/32	139,7 308	1.257 2.772	9	3	LS-01-0035
24.00R49	600 23 10/16	2.528 99 9/16	69 87/32	102,0 225	1.224 2.699	12	4	LS-01-0034
31/90R49	680 26 12/16	2.783 109 9/16	79 100.32	139,7 308	1.257 2.772	9	3	LS-01-0037
31/80R49	680 26 12/16	2.530 99 10/16	79 100.32	127,0 280	1.143 2.520	9	3	LS-01-0036
33.00R51	800 31 8/16	3.080 121 4/16	91 115/32	181,5 401	1.089 2.401	6	2	LS-01-0038

**SR 64 N E3**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
25/65R25	610 24	770 30 5/16	45 57/32	18,9 42	340 751	18	3	S-01-0091
26.5R25	610 24	770 30 5/16	45 57/32	18,9 42	265 584	14	2	S-01-0092
29.5R25	640 25 3/16	790 31 2/16	48 60/32	24,6 55	344 760	14	2	S-01-0093
30/65R25	640 25 3/16	790 31 2/16	48 60/32	24,6 55	443 977	18	3	S-01-0094
600/65R25	610 24	770 30 5/16	45 57/32	18,9 42	321 709	17	3	S-01-0095
625/70R25	610 24	770 30 5/16	45 57/32	18,9 42	340 751	18	3	S-01-0097
625/65R25	610 24	770 30 5/16	45 57/32	18,9 42	246 542	13	2	S-01-0096
650/65R25	610 24	770 30 5/16	45 57/32	18,9 42	340 751	18	3	S-01-0098
660/65R25	610 24	770 30 5/16	45 57/32	18,9 42	340 751	18	3	S-01-0099
670/80R25	610 24	770 30 5/16	45 57/32	18,9 42	246 542	13	2	S-01-0104
705/70R25	610 24	770 30 5/16	45 57/32	18,9 42	246 542	13	2	S-01-0100
750/65R25	640 25 3/16	790 31 2/16	48 60/32	24,6 55	443 977	18	3	S-01-0101
755/65R25	640 25 3/16	790 31 2/16	48 60/32	24,6 55	443 977	18	3	S-01-0102
755/70R25	640 25 3/16	790 31 2/16	48 60/32	24,6 55	418 922	17	3	S-01-0103
26.5R29	610 24	770 30 5/16	45 57/32	18,9 42	246 542	13	2	S-01-0105
29.5R29	640 25 3/16	790 31 2/16	48 60/32	24,6 55	320 706	13	2	S-01-0106
30/65R29	640 25 3/16	790 31 2/16	48 60/32	24,6 55	320 706	13	2	S-01-0107
775/65R29	640 25 3/16	790 31 2/16	48 60/32	24,6 55	320 706	13	2	S-01-0108
800/65R29	640 25 3/16	790 31 2/16	48 60/32	24,6 55	344 760	14	2	S-01-0109

**SR 66 D E4**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
20.5R25	470 18 8/16	820 32 5/16	44 55/32	18,0 40	306 675	17	3	S-01-0111
23.5R25	540 21 4/16	820 32 5/16	44 55/32	19,5 43	331 730	17	3	S-01-0112
25/65R25	540 21 4/16	820 32 5/16	44 55/32	19,5 43	331 730	17	3	S-01-0113
26.5R25	610 24	740 29 2/16	58 73/32	22,9 51	321 707	14	2	S-01-0114
525/80R25	470 18 8/16	820 32 5/16	44 55/32	18,0 40	270 596	15	3	S-01-0116
550/65R25	470 18 8/16	820 32 5/16	44 55/32	18,0 40	270 596	15	3	S-01-0115
555/70R25	470 18 8/16	820 32 5/16	44 55/32	18,0 40	270 596	15	3	S-01-0124
555/70R25	540 21 4/16	820 32 5/16	44 55/32	19,5 43	292 644	15	3	S-01-0117
600/65R25	540 21 4/16	820 32 5/16	44 55/32	19,5 43	292 644	15	3	S-01-0120
625/70R25	540 21 4/16	820 32 5/16	44 55/32	19,5 43	350 773	18	3	S-01-0118
650/65R25	610 24	740 29 2/16	58 73/32	22,9 51	275 606	12	2	S-01-0121
670/80R25	610 24	740 29 2/16	58 73/32	22,9 51	298 657	13	2	S-01-0122
705/70R25	540 21 4/16	820 32 5/16	44 55/32	19,5 43	350 773	18	3	S-01-0119
705/70R25	610 24	740 29 2/16	58 73/32	22,9 51	298 657	13	2	S-01-0123

**SR 74 N L3**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
18R20	450 17 11/16	740 29 2/16	31 39/32	12,3 28	492 1.085	40	8	S-01-0001
24R20.5	530 20 14/16	760 29 15/16	41 52/32	17,6 39	686 1.514	39	7	S-01-0002
14.00R24	330 13	900 35 7/16	23 29/32	7,0 16	476 1.050	68	15	S-01-0003
20R24	450 17 11/16	740 29 2/16	31 39/32	12,3 28	541 1.194	44	8	S-01-0004
460/70R24	450 17 11/16	740 29 2/16	31 39/32	12,3 28	492 1.085	40	8	S-01-0005
14.00R25	330 13	900 35 7/16	23 29/32	7,0 16	455 1.004	65	13	S-01-0006
15.5R25	330 13	900 35 7/16	23 29/32	7,0 16	455 1.004	65	15	S-01-0007
16.00R25	330 13	900 35 7/16	23 29/32	7,0 16	469 1.034	67	13	S-01-0008
17.5R25	330 13	900 35 7/16	23 29/32	7,0 16	455 1.004	65	13	S-01-0009
18.00R25	450 17 11/16	740 29 2/16	31 39/32	12,3 28	48 1.058	39	6	S-01-0010
20.5R25	450 17 11/16	740 29 2/16	31 39/32	12,3 28	517 1.139	42	7	S-01-0011
21.00R25	530 20 14/16	770 30 5/16	42 53/32	18,0 40	0 0	0	0	
22/65R25	450 17 11/16	740 29 2/16	31 39/32	12,3 28	492 1.085	40	8	S-01-0012
23.5R25	530 20 14/16	760 29 15/16	41 52/32	17,6 39	669 1.475	38	6	S-01-0013
25/65R25	530 20 14/16	760 29 15/16	41 52/32	17,6 39	634 1.397	36	6	S-01-0014
26.5R25	600 23 10/16	800 31 8/16	36 45/32	19,6 44	627 1.383	32	5	S-01-0015
29.5R25	680 26 12/16	730 28 12/16	45 57/32	23,5 52	329 726	14	2	S-01-0016
30/65R25	680 26 12/16	730 28 12/16	45 57/32	23,5 52	423 933	18	3	S-01-0023
525/80R25	450 17 11/16	750 29 8/16	30 38/32	12,5 28	0 0	0	0	
550/65R25	530 20 14/16	760 29 15/16	41 52/32	17,6 39	686 1.514	39	7	S-01-0017
555/70R25	530 20 14/16	760 29 15/16	41 52/32	17,6 39	686 1.514	39	7	S-01-0018
625/70R25	530 20 14/16	760 29 15/16	41 52/32	17,6 39	686 1.514	39	7	S-01-0019
650/65R25	600 23 10/16	800 31 8/16	36 45/32	19,6 44	647 1.426	33	6	S-01-0020
705/70R25	600 23 10/16	800 31 8/16	36 45/32	19,6 44	353 778	18	3	S-01-0021
750/65R25	680 26 12/16	730 28 12/16	45 57/32	23,5 52	423 933	18	3	S-01-0022
26.5R29	600 23 10/16	800 31 8/16	36 45/32	19,6 44	647 1.426	33	5	S-01-0024
29.5R29	680 26 12/16	760 29 15/16	44 55/32	27,0 60	432 953	16	2	S-01-0026
30/65R29	680 26 12/16	730 28 12/16	45 57/32	23,5 52	329 726	14	2	S-01-0025
33.25R29	680 26 12/16	730 28 12/16	45 57/32	23,5 52	376 829	16	2	S-01-0027
775/65R29	680 26 12/16	730 28 12/16	45 57/32	23,5 52	329 726	14	2	S-01-0028
800/65R29	680 26 12/16	730 28 12/16	45 57/32	23,5 52	329 726	14	2	S-01-0029
18.00R33	450 17 11/16	740 29 2/16	31 39/32	12,3 28	541 1.194	44	6	S-01-0030
21.00R35	530 20 14/16	760 29 15/16	41 52/32	17,6 39	704 1.553	40	5	S-01-0031
24.00R35	600 23 10/16	800 31 8/16	36 45/32	20,0 45	800 1.764	40	5	S-01-0032
24.00R49	600 23 10/16	800 31 8/16	36 45/32	20,0 45	720 1.588	36	4	S-01-0033
27.00R49	680 26 12/16	730 28 12/16	45 57/32	23,5 52	259 570	11	1	S-01-0034

**SR 75 D**

L4



Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
16/70R20	370 14 9/16	820 32 5/16	40 50/32	12,7 28	533 1.175	42	7	S-01-0035
405/70R20	370 14 9/16	820 32 5/16	40 50/32	12,7 28	558 1.231	44	11	S-01-0036
455/70R20	370 14 9/16	820 32 5/16	40 50/32	12,7 28	571 1.259	45	9	S-01-0037
14.00R24	370 14 9/16	820 32 5/16	40 50/32	12,7 28	571 1.259	45	9	S-01-0038
20R24	450 17 11/16	720 28 6/16	48 60/32	14,4 32	476 1.049	33	6	S-01-0039
15.5R25	370 14 9/16	820 32 5/16	40 50/32	12,7 28	571 1.259	45	9	S-01-0041
16.00R25	370 14 9/16	820 32 5/16	40 50/32	12,7 28	558 1.231	44	8	S-01-0042
17.5R25	370 14 9/16	820 32 5/16	40 50/32	12,7 28	571 1.259	45	9	S-01-0043
14.00R25	370 14 9/16	820 32 5/16	40 50/32	12,7 28	558 1.231	44	11	S-01-0040
18.00R25	450 17 11/16	720 28 6/16	48 60/32	14,4 32	476 1.049	33	5	S-01-0044
20.5R25	450 17 11/16	720 28 6/16	48 60/32	14,4 32	548 1.208	38	6	S-01-0045
23.5R25	530 20 14/16	760 29 15/16	49 62/32	19,8 44	634 1.397	32	5	S-01-0046
25/65R25	530 20 14/16	760 29 15/16	49 62/32	19,8 44	594 1.310	30	5	S-01-0047
26.5R25	600 23 10/16	830 32 11/16	58 73/32	26,0 58	338 746	13	2	S-01-0048
29.5R25	680 26 12/16	780 30 11/16	70 88/32	36,2 80	254 560	7	1	S-01-0049
30/65R25	680 26 12/16	780 30 11/16	70 88/32	36,2 80	435 959	12	2	S-01-0050
555/70R25	450 17 11/16	720 28 6/16	48 60/32	14,4 32	476 1.049	33	5	S-01-0051
705/70R25	600 23 10/16	830 32 11/16	58 73/32	26,0 58	312 688	12	2	S-01-0052
750/65R25	680 26 12/16	780 30 11/16	70 88/32	36,2 80	435 959	12	2	S-01-0053
755/65R25	680 26 12/16	780 30 11/16	70 88/32	36,2 80	435 959	12	2	S-01-0054
755/70R25	680 26 12/16	780 30 11/16	70 88/32	36,2 80	435 959	12	2	S-01-0055
26.5R29	600 23 10/16	825 32 8/16	58 73/32	26,0 58	364 803	14	2	S-01-0056
30/65R29	680 26 12/16	780 30 11/16	70 88/32	36,2 80	254 560	7	1	S-01-0057
775/65R29	680 26 12/16	780 30 11/16	70 88/32	36,2 80	435 959	12	2	S-01-0058
18.00R33	450 17 11/16	720 28 6/16	48 60/32	14,4 32	548 1.208	38	5	S-01-0059
21.00R33	530 20 14/16	760 29 15/16	49 62/32	19,8 44	594 1.310	30	4	S-01-0060
21.00R35	530 20 14/16	760 29 15/16	49 62/32	19,8 44	634 1.397	32	4	S-01-0061
24.00R35	600 23 10/16	820 32 5/16	69 87/32	31,4 70	251 554	8	1	S-01-0062
24.00R49	600 23 10/16	825 32 8/16	69 87/32	31,4 70	283 624	9	1	S-01-0063
27.00R49	680 26 12/16	780 30 11/16	70 88/32	36,2 80	399 879	11	1	S-01-0064

**SR 80 D LS**

L4



Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
29.5R25 E4	700 27 9/16	2.760 108 21/32	58 73/32	126 278	1.512 3.334	12	6	LS-01-0042
35/65R33	880 34 10/16	3.012 118 19/32	60 76/32	177 392	1.421 3.133	8	4	LS-01-0043
45/65R39	1.000 39 6/16	2.450 96 15/32	68 86/32	191 422	1.146 2.527	6	2	LS-01-0044
45/65R45	1.000 39 6/16	2.695 106 3/32	68 86/32	210 464	1.261 2.780	6	2	LS-01-0045

**HIGH QUALITY EARTHMOVER PRE-CURE TREADS**
**SR 80 D**

L4



Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
23.5R25	530 20 14/16	670 26 6/16	63 79/32	22,1 49	619 1.365	28	4	S-01-0065
26.5R25	620 24 7/16	670 26 6/16	63 79/32	25,2 56	202 445	8	1	S-01-0066
60/80R57	1.400 55 2/16	570 22 7/16	71 89/32	62,5 138	1.250 2.756	20	1	S-01-0067

**SR 81 SD LS**

L5



Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
45/65R39	1.000 39 6/16	2.565 101	115 145/32	284 627	852 1.879	3	1	LS-01-0046
45/65R45	1.000 39 6/16	2.565 101	115 145/32	284 627	852 1.879	3	1	LS-01-0047

**SR 81 SD**

L5



Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
20.5R25	480 18 14/16	640 25 3/16	73 92/32	20,5 46	431 950	21	3	S-01-0068
23.5R25	560 22 1/16	640 25 3/16	73 92/32	24,9 55	524 1.155	21	3	S-01-0069
25/65R25	560 22 1/16	640 25 3/16	73 92/32	24,9 55	524 1.155	21	3	S-01-0070
26.5R25	620 24 7/16	670 26 6/16	80 101/32	30,3 67	242 534	8	1	S-01-0071
29.5R25	703 27 11/16	750 29 8/16	95 120/32	48,4 107	339 747	7	1	S-01-0072
555/70R25	480 18 14/16	640 25 3/16	73 92/32	20,5 46	431 950	21	3	S-01-0073
625/70R25	560 22 1/16	640 25 3/16	73 92/32	24,9 55	524 1.155	21	3	S-01-0074
29.5R29	703 27 11/16	750 29 8/16	95 120/32	48,4 107	387 854	8	1	S-01-0075
30/65R29	703 27 11/16	750 29 8/16	89 112/32	44,7 99	715 1.577	16	2	S-01-0076
35/65R33	883 34 12/16	750 29 8/16	97 122/32	61,1 135	489 1.079	8	1	S-01-0077



**SR 82 SD L5**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
23.5R25	560 22 1/16	710 27 15/16	88 111/32	34,2 76	718 1.584	21	3	S-01-0078
26.5R25	620 24 7/16	710 27 15/16	88 111/32	39,0 86	273 602	7	1	S-01-0079
625/70R25	560 22 1/16	710 27 15/16	88 111/32	34,2 76	616 1.358	18	3	S-01-0080

**SR 83 D L4**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
20.5R25	460 18 2/16	800 31 8/16	44 55/32	21,0 47	693 1.528	33	6	S-01-0081
23.5R25	550 21 10/16	806 31 12/16	51 64/32	28,4 63	341 752	12	2	S-01-0082
26.5R25	610 24	872 34 5/16	53 67/32	34,9 78	419 925	12	2	S-01-0083
29.5R25	700 27 9/16	912 35 14/16	58 73/32	45,8 102	550 1.213	12	2	S-01-0084

**SR 83 SD L5**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
15.5R25	445 17 17/32	760 29 15/16	68 86/32	23,0 51	552 1.217	24	4	S-01-0085
17.5R25	445 17 17/32	760 29 15/16	68 86/32	23,0 51	621 1.370	27	5	S-01-0086
18.00R25	445 17 17/32	760 29 15/16	68 86/32	23,0 51	552 1.217	24	4	S-01-0087
20.5R25	470 18 16/32	760 29 15/16	68 86/32	24,7 55	593 1.307	24	4	S-01-0088
555/70R25	470 18 16/32	760 29 15/16	68 86/32	24,7 55	593 1.307	24	4	S-01-0090
480/95R25	470 18 16/32	760 29 15/16	68 86/32	24,7 55	692 1.525	28	4	S-01-0089

**Snow Winter E3 / L3**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
14.00R24/25	350 13 12/16	824 32 7/16	28 35/32	7,2 16	432 953	60	12	S-01-0151
17.5R25	400 15 12/16	810 31 14/16	28 35/32	8,1 18	486 1.072	60	12	S-01-0155
20.5R25	450 17 11/16	886 34 14/16	31 39/32	11,0 25	275 607	25	5	S-01-0157
23.5R25	500 19 11/16	945 37 3/16	34 43/32	14,4 32	360 794	25	5	S-01-0158
26.5R25	620 24 7/16	860 33 14/16	34 43/32	16,3 36	391 863	24	4	S-01-0160

! At time of print the SNOW WINTER mold was in preparation. Slight changes in the weight may occur.

**Slick 78 N L3**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
14.00R20	330 13	960 37 13/16	50 63/32	16,3 36	653 1.439	40	10	S-01-0129
14.5R20	300 11 13/16	930 36 10/16	35 44/32	10,1 23	563 1.242	56	14	S-01-0130
16/70R20	360 14 3/16	960 37 13/16	40 50/32	14,2 32	684 1.507	48	12	S-01-0131
405/70R20	360 14 3/16	960 37 13/16	40 50/32	14,2 32	684 1.507	48	12	S-01-0132
12.00R24	300 11 13/16	930 36 10/16	35 44/32	10,1 23	563 1.242	56	13	S-01-0133
12.00R24	330 13	960 37 13/16	50 63/32	16,3 36	653 1.439	40	10	S-01-0134
14.00R24	330 13	910 35 13/16	35 44/32	10,8 24	585 1.289	54	12	S-01-0135
14.00R24	330 13	960 37 13/16	50 63/32	16,3 36	653 1.439	40	10	S-01-0136
18.00R25	400 15 12/16	960 37 13/16	35 44/32	13,8 31	692 1.526	50	9	S-01-0137
35/65R29	680 26 12/16	975 38 6/16	30 38/32	20,5 46	615 1.356	30	5	S-01-0138

**Slick 79 K L4**


Tyre Dimension	Base Width [mm] [inches]	Segment Length [mm] [inches]	Tread Depth [mm] [inches]	Segment Weight [kg] [lbs]	Weight Per Skid [kg] [lbs]	Segments per Skid	Tires per Skid	Order Number
14.00R20	330 13	960 37 13/16	50 63/32	16,3 36	653 1.439	40	10	S-01-0139
14.5R20	300 11 13/16	930 36 10/16	35 44/32	10,1 23	563 1.242	56	14	S-01-0140
16/70R20	360 14 3/16	960 37 13/16	40 50/32	14,2 32	684 1.507	48	12	S-01-0141
405/70R20	360 14 3/16	960 37 13/16	40 50/32	14,2 32	684 1.507	48	12	S-01-0142
12.00R24	300 11 13/16	930 36 10/16	35 44/32	10,1 23	563 1.242	56	13	S-01-0143
12.00R24	330 13	960 37 13/16	50 63/32	16,3 36	653 1.439	40	10	S-01-0144
14.00R24	330 13	910 35 13/16	35 44/32	10,8 24	585 1.289	54	12	S-01-0145
14.00R24	330 13	960 37 13/16	50 63/32	16,3 36	653 1.439	40	10	S-01-0146
18.00R25	400 15 12/16	960 37 13/16	35 44/32	13,8 31	692 1.526	50	9	S-01-0147

**ENVELOPES**

		Article no.
Inner Envelope	14.00R24	E01/02-0001
Outer Envelope	14.00R24	E01/02-0002
Inner Envelope	14.00R25	E01/02-0003
Outer Envelope	14.00R25	E01/02-0004
Inner Envelope	17.5R25	E01/02-0005
Outer Envelope	17.5R25	E01/02-0006
Inner Envelope	18.00R25	E01/02-0007
Outer Envelope	18.00R25	E01/02-0008
Inner Envelope	20.5R25	E01/02-0009
Outer Envelope	20.5R25	E01/02-0010
Inner Envelope	23.5R25	E01/02-0011
Outer Envelope	23.5R25	E01/02-0012
Inner Envelope	26.5R25	E01/02-0013
Outer Envelope	26.5R25	E01/02-0014
Inner Envelope	29.5R25	E01/02-0015
Outer Envelope	29.5R25	E01/02-0016
Inner Envelope	18.00R33	E01/02-0017
Outer Envelope	18.00R33	E01/02-0018
Inner Envelope	21.00R33	E01/02-0019
Outer Envelope	21.00R33	E01/02-0020
Inner Envelope	35/65R33	E01/02-0021
Outer Envelope	35/65R33	E01/02-0022
Inner Envelope	21.00R35	E01/02-0023
Outer Envelope	21.00R35	E01/02-0024
Inner Envelope	24.00R35	E01/02-0025
Outer Envelope	24.00R35	E01/02-0026
Inner Envelope	45/65R39	E01/02-0027
Outer Envelope	45/65R39	E01/02-0028
Inner Envelope	45/65R45	E01/02-0029
Outer Envelope	45/65R45	E01/02-0030
Inner Envelope	24.00R49	E01/02-0031
Outer Envelope	24.00R49	E01/02-0032
Inner Envelope	27.00R49	E01/02-0033
Outer Envelope	27.00R49	E01/02-0034
Inner Envelope	30.00R51	E01/02-0035
Outer Envelope	30.00R51	E01/02-0036
Inner Envelope	33.00R51	E01/02-0037
Outer Envelope	33.00R51	E01/02-0038
Inner Envelope	36.00R51	E01/02-0039
Outer Envelope	36.00R51	E01/02-0040
Inner Envelope	37.00R57	E01/02-0041
Outer Envelope	37.00R57	E01/02-0042
Inner Envelope	40.00R57	E01/02-0043
Outer Envelope	40.00R57	E01/02-0044
Inner Envelope	60/80R57	E01/02-0045
Outer Envelope	60/80R57	E01/02-0046
Inner Envelope	53/80R63	E01/02-0047
Outer Envelope	53/80R63	E01/02-0048
Inner Envelope	58/80R63	E01/02-0049
Outer Envelope	58/80R63	E01/02-0050

**INLETS**

		Article no.
Rubber-Negative	SR 83 SD 17.5R25	E01-0051
Rubber-Negative	SR 83 SD 20.5R25	E01-0052
Alu-Negative (gasket)	SR 81 SD 20.5R25	E01-0053
Alu-Negative (gasket)	SR 81 SD 23.5R25	E01-0054
Alu-Negative (gasket)	SR 81 SD 26.5R25	E01-0055
Alu-Negative (gasket)	SR 81 SD 29.5R25	E01-0056
Alu-Negative (gasket)	SR 81 SD 35/65R33	E01-0057
Alu-Negative (gasket)	SR 81 SD 45/65R45	E01-0058
Alu-Negative (gasket)	SR 82 SD 23.5R25	E01-0059
Alu-Negative (gasket)	SR 82 SD 26.5R25	E01-0060
Alu-Negative (gasket)	SR 80 D 29.5R25	E01-0061
Alu-Negative (gasket)	SR 80 D 35/65R33	E01-0062
Alu-Negative (gasket)	SR 80 D 45/65R45	E01-0063
Alu-Negative (gasket)	SR 80 D 60/80R57	E01-0064
Alu-Negative (gasket)	SR 63 D 18.00R33	E01-0065
Alu-Negative (gasket)	SR 63 D 24.00R35	E01-0066
Alu-Negative (gasket)	SR 63 D 27.00R49	E01-0067
Alu-Negative (gasket)	SR 63 D 36.00R51	E01-0068
Alu-Negative (gasket)	SR 60 D 24.00R35	E01-0069
Alu-Negative (gasket)	SR 60 D 27.00R49	E01-0070
Alu-Negative (gasket)	SR 60 D 30.00R51	E01-0071
Alu-Negative (gasket)	SR 60 D 33.00R51	E01-0072
Alu-Negative (gasket)	SR 60 D 45/65R45	E01-0073
Alu-Negative (gasket)	SR 60 D/N 37.00R57	E01-0074
Alu-Negative (gasket)	SR 60 D/N 40.00R57	E01-0075
Alu-Negative (gasket)	SR 60 D 53/80R63	E01-0076
Alu-Negative (gasket)	SR 60 N 45/65R39	E01-0077
Alu-Negative (gasket)	SR 60 N 45/65R45	E01-0078
Alu-Negative (gasket)	SR 60 N 33.00R51	E01-0079
Alu-Negative (gasket)	SR 55 D 21.00R35	E01-0080

Company \_\_\_\_\_ Date \_\_\_\_\_

Address \_\_\_\_\_ Sheet \_\_\_\_ of \_\_\_\_

PO-number \_\_\_\_\_

	Order-No	Description	Quantity	Weight per skid	Total weight
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
<b>Total skids</b>					
<b>Total weight</b>					

Signature \_\_\_\_\_

Please send the completed form by e-mail to [info@rosleramericas.com](mailto:info@rosleramericas.com)  
 This order form is also available for download on [www.rosleramericas.com](http://www.rosleramericas.com) in the download section.





**RÖSLER AMERICAS**  
A DIVISION OF RÖSLER TYRE INNOVATORS

ROSLEER TIRE INNOVATORS AMERICAS LLC  
POB 4058  
37024 Brentwood, TN  
United States of America

Phone +1 615.944.6783  
eMail [info@rosleramericas.com](mailto:info@rosleramericas.com)

[www.rosleramericas.com](http://www.rosleramericas.com)